

SPD-002 Assay Data

Sample ID	Hole ID	From metres	To metres	Interval metres	Recovered metres	Au g/t	Pt g/t	Pd g/t
D0314	SPD-002	19.00	20.00	1.00	1.00	0.012	< 0.005	< 0.005
D0315	SPD-002	20.00	21.00	1.00	1.00	< 0.005	< 0.005	< 0.005
D0316	SPD-002	21.00	22.00	1.00	1.00	0.017	0.007	< 0.005
D0317	SPD-002	22.00	23.00	1.00	1.00	0.018	< 0.005	< 0.005
D0318	SPD-002	23.00	24.00	1.00	1.00	< 0.005	< 0.005	< 0.005
D0319	SPD-002	24.00	25.00	1.00	1.00	0.055	< 0.005	< 0.005
D0320	SPD-002	25.00	26.00	1.00	1.00	0.016	< 0.005	< 0.005
D0321	SPD-002	26.00	27.00	1.00	1.00	0.007	< 0.005	< 0.005
D0322	SPD-002	27.00	28.00	1.00	1.00	0.011	0.006	< 0.005
D0323	SPD-002	28.00	29.00	1.00	1.00	0.013	< 0.005	< 0.005
D0324	SPD-002	29.00	30.00	1.00	1.00	< 0.005	0.005	< 0.005
D0325	SPD-002	30.00	31.00	1.00	1.00	< 0.005	0.008	< 0.005
D0326	SPD-002	31.00	32.00	1.00	1.00	< 0.005	0.009	< 0.005
D0327	SPD-002	32.00	33.00	1.00	1.00	< 0.005	< 0.005	< 0.005
D0328	SPD-002	33.00	34.00	1.00	1.00	< 0.005	< 0.005	< 0.005
D0329	SPD-002	34.00	35.00	1.00	1.00	< 0.005	0.007	< 0.005
D0330	SPD-002	35.00	36.00	1.00	1.00	< 0.005	< 0.005	< 0.005
D0331	SPD-002	36.00	37.00	1.00	1.00	< 0.005	< 0.005	< 0.005
D0332	SPD-002	37.00	38.00	1.00	1.00	< 0.005	< 0.005	< 0.005
D0333	SPD-002	38.00	39.00	1.00	1.00	< 0.005	< 0.005	< 0.005
D0335	SPD-002	39.00	40.00	1.00	1.00	< 0.005	< 0.005	< 0.005
D0336	SPD-002	40.00	41.00	1.00	1.00	< 0.005	0.019	< 0.005
D0337	SPD-002	41.00	42.00	1.00	1.00	< 0.005	< 0.005	< 0.005
D0338	SPD-002	42.00	43.00	1.00	1.00	< 0.005	< 0.005	< 0.005
D0339	SPD-002	43.00	44.00	1.00	1.00	< 0.005	< 0.005	< 0.005
D0340	SPD-002	44.00	45.00	1.00	1.00	< 0.005	< 0.005	< 0.005
D0341	SPD-002	52.00	53.00	1.00	1.00	< 0.005	< 0.005	< 0.005
D0342	SPD-002	53.00	54.00	1.00	1.00	< 0.005	< 0.005	< 0.005
D0343	SPD-002	54.00	55.00	1.00	1.00	0.006	0.006	< 0.005
D0344	SPD-002	55.00	56.00	1.00	1.00	< 0.005	< 0.005	< 0.005
D0345	SPD-002	56.00	57.00	1.00	1.00	< 0.005	< 0.005	< 0.005
D0346	SPD-002	57.00	58.00	1.00	1.00	0.02	< 0.005	< 0.005
D0347	SPD-002	58.00	59.00	1.00	1.00	< 0.005	< 0.005	< 0.005
D0348	SPD-002	66.00	67.50	1.50	1.40	0.012	< 0.005	< 0.005
D0349	SPD-002	67.50	69.00	1.50	1.30	< 0.005	< 0.005	< 0.005
D0350	SPD-002	69.00	70.55	1.55	0.75	< 0.005	0.008	< 0.005
D0351	SPD-002	70.55	71.60	1.05	1.05	< 0.005	< 0.005	< 0.005
D0352	SPD-002	71.60	72.00	0.40	0.15	< 0.005	< 0.005	< 0.005
D0353	SPD-002	72.00	73.10	1.10	0.85	< 0.005	< 0.005	< 0.005
D0354	SPD-002	73.10	74.00	0.90	0.90	0.01	< 0.005	< 0.005
D0356	SPD-002	74.00	75.00	1.00	0.90	< 0.005	< 0.005	< 0.005
D0357	SPD-002	75.00	76.50	1.50	1.25	< 0.005	< 0.005	< 0.005
D0358	SPD-002	76.50	78.00	1.50	1.30	< 0.005	0.007	< 0.005
D0359	SPD-002	78.00	79.00	1.00	1.00	< 0.005	0.007	< 0.005
D0360	SPD-002	79.00	80.00	1.00	1.00	< 0.005	< 0.005	< 0.005
D0361	SPD-002	88.50	90.00	1.50	1.30	< 0.005	< 0.005	< 0.005
D0362	SPD-002	90.00	91.50	1.50	1.40	< 0.005	< 0.005	< 0.005
D0363	SPD-002	91.50	93.00	1.50	1.50	< 0.005	0.005	< 0.005
D0364	SPD-002	93.00	94.00	1.00	1.00	0.005	0.007	< 0.005
D0365	SPD-002	94.00	95.00	1.00	1.00	0.005	0.009	0.016
D0366	SPD-002	95.00	96.00	1.00	1.00	0.008	0.01	< 0.005
D0367	SPD-002	96.00	97.00	1.00	1.00	0.009	0.007	< 0.005
D0368	SPD-002	97.00	98.00	1.00	1.00	0.011	0.017	< 0.005
D0369	SPD-002	98.00	99.00	1.00	1.00	0.008	0.012	0.01
D0370	SPD-002	99.00	100.00	1.00	1.00	0.006	0.014	< 0.005

Sample ID	Hole ID	From metres	To metres	Interval metres	Recovered metres	Au g/t	Pt g/t	Pd g/t
D0371	SPD-002	100.00	101.00	1.00	0.95	0.005	0.005	< 0.005
D0372	SPD-002	101.00	102.00	1.00	0.95	0.022	0.021	0.007
D0373	SPD-002	102.00	103.20	1.20	1.20	0.007	0.011	< 0.005
D0374	SPD-002	103.20	103.30	0.10	0.10	0.021	0.005	0.009
D0375	SPD-002	103.30	103.50	0.20	0.15	0.006	< 0.005	0.028
D0377	SPD-002	103.50	104.25	0.75	0.60	< 0.005	0.01	< 0.005
D0378	SPD-002	104.25	105.00	0.75	0.55	< 0.005	0.007	< 0.005
D0379	SPD-002	105.00	105.85	0.85	0.35	< 0.005	< 0.005	< 0.005
D0380	SPD-002	105.85	106.85	1.00	1.00	< 0.005	0.006	< 0.005
D0381	SPD-002	106.85	108.00	1.15	1.15	< 0.005	0.006	< 0.005
D0382	SPD-002	108.00	109.50	1.50	1.00	0.005	0.009	< 0.005
D0383	SPD-002	109.50	111.00	1.50	1.50	0.005	0.009	< 0.005
D0384	SPD-002	111.00	112.50	1.50	1.35	0.005	0.014	0.022
D0385	SPD-002	112.50	114.00	1.50	1.50	0.011	0.008	< 0.005
D0386	SPD-002	114.00	115.00	1.00	1.00	< 0.005	< 0.005	< 0.005
D0387	SPD-002	115.00	116.00	1.00	1.00	< 0.005	0.013	< 0.005
D0388	SPD-002	116.00	117.00	1.00	1.00	0.019	0.008	< 0.005
D0389	SPD-002	117.00	118.50	1.50	1.50	0.023	< 0.005	< 0.005
D0390	SPD-002	118.50	120.00	1.50	1.15	< 0.005	< 0.005	< 0.005
D0391	SPD-002	120.00	121.00	1.00	1.00	0.012	< 0.005	< 0.005
D0392	SPD-002	121.00	122.00	1.00	1.00	0.007	< 0.005	< 0.005
D0393	SPD-002	122.00	123.00	1.00	0.90	0.026	< 0.005	< 0.005
D0394	SPD-002	123.00	124.00	1.00	0.95	0.041	0.007	< 0.005
D0395	SPD-002	124.00	125.00	1.00	1.00	0.009	< 0.005	< 0.005
D0396	SPD-002	125.00	126.00	1.00	1.00	0.017	< 0.005	< 0.005
D0398	SPD-002	126.00	127.50	1.50	1.30	0.032	< 0.005	< 0.005
D0399	SPD-002	127.50	129.00	1.50	1.25	0.013	< 0.005	< 0.005
D0400	SPD-002	129.00	130.50	1.50	1.00	0.008	0.006	< 0.005
D0401	SPD-002	132.00	132.90	0.90	0.80	0.02	< 0.005	< 0.005
D0402	SPD-002	132.90	134.00	1.10	1.00	< 0.005	< 0.005	< 0.005
D0403	SPD-002	134.00	135.00	1.00	1.00	0.024	< 0.005	< 0.005
D0404	SPD-002	135.00	136.00	1.00	1.00	0.016	< 0.005	< 0.005
D0405	SPD-002	136.00	137.00	1.00	1.00	0.028	< 0.005	< 0.005
D0406	SPD-002	137.00	138.00	1.00	1.00	< 0.005	< 0.005	< 0.005
D0407	SPD-002	138.00	139.00	1.00	1.00	< 0.005	< 0.005	< 0.005
D0408	SPD-002	139.00	140.00	1.00	1.00	0.019	< 0.005	< 0.005
D0409	SPD-002	140.00	141.00	1.00	1.00	0.007	< 0.005	< 0.005
D0410	SPD-002	141.00	142.00	1.00	1.00	0.015	< 0.005	< 0.005
D0411	SPD-002	142.00	143.00	1.00	1.00	0.005	< 0.005	< 0.005
D0412	SPD-002	143.00	144.00	1.00	1.00	< 0.005	< 0.005	< 0.005
D0413	SPD-002	144.00	145.00	1.00	1.00	0.005	< 0.005	< 0.005
D0414	SPD-002	145.00	146.00	1.00	0.97	0.022	< 0.005	< 0.005
D0415	SPD-002	146.00	147.00	1.00	0.98	0.014	< 0.005	< 0.005
D0416	SPD-002	147.00	148.00	1.00	0.95	< 0.005	< 0.005	< 0.005
D0417	SPD-002	148.00	149.00	1.00	0.95	< 0.005	< 0.005	< 0.005
D0419	SPD-002	149.00	150.00	1.00	0.95	< 0.005	< 0.005	< 0.005
D0420	SPD-002	150.00	151.00	1.00	1.00	< 0.005	< 0.005	< 0.005
D0421	SPD-002	151.00	152.00	1.00	1.00	0.005	0.008	< 0.005
D0422	SPD-002	152.00	153.00	1.00	1.00	0.006	< 0.005	< 0.005
D0423	SPD-002	153.00	154.00	1.00	1.00	0.018	0.006	< 0.005
D0424	SPD-002	154.00	155.00	1.00	1.00	0.007	< 0.005	< 0.005
D0425	SPD-002	155.00	156.00	1.00	1.00	0.067	< 0.005	< 0.005
D0426	SPD-002	156.00	157.40	1.40	1.50	0.006	0.006	< 0.005
D0427	SPD-002	157.40	159.00	1.60	1.60	< 0.005	0.011	< 0.005
D0428	SPD-002	159.00	160.00	1.00	1.00	< 0.005	0.008	< 0.005
D0429	SPD-002	160.00	161.00	1.00	1.00	< 0.005	0.01	< 0.005
D0430	SPD-002	161.00	162.00	1.00	1.00	0.014	< 0.005	< 0.005

Sample ID	Hole ID	From metres	To metres	Interval metres	Recovered metres	Au g/t	Pt g/t	Pd g/t
D0431	SPD-002	162.00	163.50	1.50	1.40	< 0.005	< 0.005	< 0.005
D0432	SPD-002	163.50	165.00	1.50	1.30	< 0.005	< 0.005	< 0.005
D0433	SPD-002	165.00	166.50	1.50	1.50	< 0.005	0.007	< 0.005
D0434	SPD-002	166.50	168.00	1.50	1.50	< 0.005	< 0.005	< 0.005
D0435	SPD-002	168.00	168.80	0.80	0.55	< 0.005	< 0.005	< 0.005
D0436	SPD-002	168.80	169.30	0.50	0.50	< 0.005	< 0.005	< 0.005
D0437	SPD-002	169.30	169.60	0.30	0.30	0.005	< 0.005	< 0.005
D0438	SPD-002	169.60	170.10	0.50	0.40	< 0.005	< 0.005	< 0.005
D0440	SPD-002	170.10	171.00	0.90	0.90	0.005	< 0.005	< 0.005
D0441	SPD-002	171.00	172.10	1.10	1.10	< 0.005	< 0.005	< 0.005
D0442	SPD-002	172.10	172.30	0.20	0.10	< 0.005	< 0.005	< 0.005
D0443	SPD-002	172.30	173.20	0.90	0.70	< 0.005	< 0.005	< 0.005
D0444	SPD-002	173.20	174.00	0.80	0.65	< 0.005	< 0.005	< 0.005
D0445	SPD-002	174.00	175.00	1.00	1.00	< 0.005	< 0.005	< 0.005
D0446	SPD-002	175.00	176.00	1.00	1.00	< 0.005	< 0.005	< 0.005
D0447	SPD-002	176.00	177.00	1.00	1.00	< 0.005	< 0.005	< 0.005
D0448	SPD-002	177.00	178.50	1.50	1.40	0.011	< 0.005	< 0.005
D0449	SPD-002	178.50	180.00	1.50	0.75	0.006	< 0.005	0.007
D0450	SPD-002	180.60	181.60	1.00	0.20	0.03	< 0.005	0.012
D0451	SPD-002	182.20	183.00	0.80	0.25	0.013	0.007	< 0.005
D0452	SPD-002	183.00	184.00	1.00	0.85	0.026	< 0.005	< 0.005
D0453	SPD-002	184.00	184.75	0.75	0.15	0.033	0.007	< 0.005
D0454	SPD-002	186.00	186.35	0.35	0.25	0.014	< 0.005	< 0.005
D0455	SPD-002	186.45	187.60	1.15	0.20	0.058	< 0.005	0.008
D0456	SPD-002	193.10	193.50	0.40	0.10	0.018	< 0.005	0.01
D0457	SPD-002	193.90	194.50	0.60	0.25	0.05	0.144	0.015
D0458	SPD-002	195.50	196.15	0.65	0.08	0.009	< 0.005	< 0.005
D0460	SPD-002	198.85	199.15	0.30	0.02	0.007	< 0.005	< 0.005
D0461	SPD-002	199.35	199.55	0.20	0.03	0.006	< 0.006	< 0.005
D0462	SPD-002	200.40	200.60	0.20	0.03	< 0.005	< 0.005	< 0.005
D0463	SPD-002	200.80	201.00	0.20	0.04	0.012	< 0.005	< 0.005
D0464	SPD-002	201.60	201.80	0.20	0.04	0.01	< 0.005	0.007
D0465	SPD-002	202.30	202.90	0.60	0.20	0.086	0.006	0.016
D0466	SPD-002	203.20	204.50	1.30	0.59	0.422	0.025	0.042
D0467	SPD-002	204.50	205.00	0.50	0.50	2.38	2.76	2.85
D0468	SPD-002	205.00	206.00	1.00	1.00	0.97	0.063	0.315
D0469	SPD-002	206.00	207.00	1.00	1.00	1.13	0.103	0.285
D0470	SPD-002	207.00	208.50	1.50	1.35	4.2	5.04	7.24
D0471	SPD-002	208.50	210.00	1.50	1.50	4.62	0.268	1.18
D0472	SPD-002	210.00	211.35	1.35	1.25	0.691	0.419	1.17
D0473	SPD-002	211.35	212.75	1.40	1.40	3.11	0.194	0.299
D0474	SPD-002	212.75	213.70	0.95	0.65	1.44	0.065	0.09
D0475	SPD-002	213.70	214.60	0.90	0.85	1.3	0.036	0.019
D0476	SPD-002	214.60	216.00	1.40	1.40	1.36	0.019	0.016
D0477	SPD-002	216.00	217.20	1.20	0.85	0.642	0.005	0.013
D0478	SPD-002	217.20	218.20	1.00	0.65	0.6	0.056	0.109
D0479	SPD-002	218.20	219.00	0.80	0.80	0.598	0.014	0.03
D0481	SPD-002	219.00	220.15	1.15	1.10	1.42	0.733	1.82
D0482	SPD-002	220.15	221.40	1.25	1.25	1.28	0.678	1.26
D0483	SPD-002	221.40	222.90	1.50	1.50	7.56	3.64	5.15
D0484	SPD-002	222.90	224.20	1.30	1.30	16.6	7.56	7.74
D0485	SPD-002	224.20	225.75	1.55	1.55	2.4	3.56	5.58
D0486	SPD-002	225.75	226.55	0.80	0.70	28.2	17.4	20.4
D0487	SPD-002	226.55	228.00	1.45	1.00	7.2	2.84	3.57
D0488	SPD-002	228.00	229.50	1.50	1.50	446	181	245
D0489	SPD-002	229.50	231.00	1.50	1.50	21.7	21.7	16.5
D0490	SPD-002	231.00	232.50	1.50	1.50	1.07	0.399	0.535

Sample ID	Hole ID	From metres	To metres	Interval metres	Recovered metres	Au g/t	Pt g/t	Pd g/t
D0491	SPD-002	232.50	234.00	1.50	1.40	0.168	0.024	0.054
D0492	SPD-002	234.00	235.50	1.50	1.00	23.6	6.53	9.08
D0493	SPD-002	235.50	237.00	1.50	1.50	46.8	13.1	18.1
D0494	SPD-002	237.00	238.50	1.50	1.50	38.2	7.87	8.81
D0495	SPD-002	238.50	240.00	1.50	1.50	54.8	11.5	10.6
D0496	SPD-002	240.00	241.50	1.50	1.50	9.59	1.77	2
D0497	SPD-002	241.50	243.00	1.50	1.25	5.53	0.678	0.915
D0498	SPD-002	243.00	244.00	1.00	0.55	9.05	0.082	0.122
D0499	SPD-002	244.00	245.25	1.25	0.80	7.11	0.735	0.841
D0500	SPD-002	245.25	246.60	1.35	0.25	3.21	0.233	0.651
D0502	SPD-002	246.90	247.10	0.20	0.10	4.42	0.556	1.12
D0504	SPD-002	247.33	247.45	0.12	0.12	0.398	2.33	1.26
D0505	SPD-002	247.45	247.95	0.50	0.20	3.69	1.34	0.597
D0506	SPD-002	248.55	249.00	0.45	0.05	1.83	0.657	1.1
D0507	SPD-002	249.85	250.60	0.75	0.28	0.462	0.54	0.341
D0508	SPD-002	250.60	251.30	0.70	0.55	0.436	0.699	0.583
D0509	SPD-002	251.70	252.80	1.10	0.85	0.274	0.869	0.566
D0510	SPD-002	252.80	253.60	0.80	0.40	0.665	0.145	0.218
D0511	SPD-002	254.60	255.50	0.90	0.90	0.125	0.08	0.101
D0512	SPD-002	255.50	256.25	0.75	0.51	0.176	0.116	0.128
D0513	SPD-002	256.25	257.45	1.20	0.60	0.468	0.118	0.175
D0514	SPD-002	257.60	258.00	0.40	0.25	0.075	0.074	0.087
D0515	SPD-002	258.00	258.40	0.40	0.40	0.039	0.013	0.039
D0516	SPD-002	258.40	259.65	1.25	1.00	0.106	0.056	0.079
D0517	SPD-002	259.65	260.40	0.75	0.75	0.015	0.019	0.041
D0518	SPD-002	260.40	261.00	0.60	0.60	0.212	0.057	0.071
D0519	SPD-002	261.00	262.00	1.00	1.00	0.046	0.03	0.032
D0520	SPD-002	262.00	262.30	0.30	0.30	0.046	0.048	0.047
D0521	SPD-002	262.30	263.25	0.95	0.95	0.174	0.058	0.075
D0523	SPD-002	263.25	264.00	0.75	0.30	0.031	0.027	0.057
D0524	SPD-002	264.00	265.35	1.35	0.75	0.06	0.052	0.073
D0525	SPD-002	265.35	266.10	0.75	0.47	0.024	0.017	0.028
D0526	SPD-002	266.10	267.00	0.90	0.90	0.087	0.016	0.023
D0527	SPD-002	267.00	267.60	0.60	0.60	< 0.005	0.007	0.015
D0528	SPD-002	267.60	268.25	0.65	0.65	0.02	< 0.005	0.015
D0529	SPD-002	268.25	269.30	1.05	1.05	0.013	< 0.005	0.017
D0530	SPD-002	269.30	270.50	1.20	0.30	0.655	0.318	0.266
D0531	SPD-002	271.50	271.80	0.30	0.30	0.168	0.046	0.099
D0532	SPD-002	272.05	273.00	0.95	0.30	0.077	0.006	0.031
D0533	SPD-002	273.00	273.60	0.60	0.45	0.02	0.009	0.022
D0534	SPD-002	274.65	275.45	0.80	0.47	0.481	0.479	0.702
D0535	SPD-002	275.45	275.80	0.35	0.35	0.773	0.022	0.047
D0536	SPD-002	276.00	276.15	0.15	0.15	1.47	0.048	0.066
D0537	SPD-002	276.15	276.70	0.55	0.55	2.83	0.107	0.085
D0538	SPD-002	276.70	277.90	1.20	1.20	4.81	0.392	0.742
D0539	SPD-002	277.90	278.40	0.50	0.35	0.943	0.046	0.132
D0540	SPD-002	278.40	279.00	0.60	0.57	1.52	0.102	0.19
D0541	SPD-002	279.00	279.90	0.90	0.90	104.95	33.15	29
D0542	SPD-002	279.90	281.15	1.25	0.54	25.9	11.6	10.5
D0544	SPD-002	281.15	282.00	0.85	0.85	1.41	0.135	0.397
D0545	SPD-002	282.00	282.60	0.60	0.34	23.2	0.334	1.53
D0546	SPD-002	282.60	283.65	1.05	1.05	1.59	0.065	0.154
D0547	SPD-002	283.65	284.85	1.20	1.20	65.6	8.77	12.3
D0548	SPD-002	284.85	286.05	1.20	1.20	28.3	4.65	5.28
D0549	SPD-002	286.05	287.00	0.95	0.95	16.9	2.17	3.73
D0550	SPD-002	287.00	288.00	1.00	1.00	47.5	2.78	6.29
D0551	SPD-002	288.00	289.50	1.50	1.40	0.254	0.127	0.12
D0552	SPD-002	289.50	291.00	1.50	1.15	0.16	0.082	0.105
D0553	SPD-002	291.00	292.50	1.50	0.25	0.116	0.027	0.04
D0554	SPD-002	292.50	293.00	0.50	0.30	0.039	0.021	0.025
D0555	SPD-002	294.50	294.80	0.30	0.02	0.114	0.015	0.044

Sample ID	Hole ID	From metres	To metres	Interval metres	Recovered metres	Au g/t	Pt g/t	Pd g/t
D0556	SPD-002	295.25	295.95	0.70	0.14	1.48	1.7	2.95
D0557	SPD-002	295.95	296.40	0.45	0.17	0.376	0.305	0.334
D0558	SPD-002	297.00	297.10	0.10	0.05	0.111	0.037	0.047
D0559	SPD-002	298.00	298.20	0.20	0.04	0.323	0.101	0.123
D0560	SPD-002	299.20	299.55	0.35	0.17	0.211	0.067	0.094
D0561	SPD-002	299.55	300.00	0.45	0.35	0.024	0.012	0.013
D0562	SPD-002	300.60	301.00	0.40	0.10	0.04	0.034	0.031
D0563	SPD-002	301.00	301.40	0.40	0.20	0.025	0.018	0.019
D0565	SPD-002	301.40	301.80	0.40	0.35	0.219	0.081	0.072
D0566	SPD-002	301.80	303.00	1.20	1.15	0.091	0.064	0.064
D0567	SPD-002	303.00	303.85	0.85	0.75	0.12	0.011	0.012
D0568	SPD-002	303.85	305.25	1.40	1.30	0.076	0.01	0.014
D0569	SPD-002	305.25	306.00	0.75	0.65	0.072	0.013	0.006
D0570	SPD-002	306.00	307.00	1.00	1.00	0.013	0.009	0.009
D0571	SPD-002	307.00	308.00	1.00	1.00	0.009	< 0.005	< 0.005
D0572	SPD-002	308.00	309.00	1.00	1.00	0.023	< 0.005	0.007
D0573	SPD-002	309.00	310.00	1.00	1.00	0.008	0.005	< 0.005

End of Hole