

## SPD-001 Assay Data

Sample ID	Hole ID	From metres	To metres	Interval metres	Recovered metres	Au g/t	Pt g/t	Pd g/t
D0145	SPD-001	137.00	138.00	1.00	1.00	0.01	< 0.005	< 0.005
D0146	SPD-001	138.00	139.00	1.00	1.00	0.02	< 0.005	< 0.005
D0148	SPD-001	139.00	139.75	0.75	0.75	0.026	< 0.005	< 0.005
D0149	SPD-001	139.75	141.00	1.25	0.50	0.005	< 0.005	< 0.005
D0150	SPD-001	141.00	142.50	1.50	1.25	< 0.005	< 0.005	< 0.005
D0151	SPD-001	142.50	143.30	0.80	0.65	0.011	< 0.005	< 0.005
D0152	SPD-001	143.30	144.00	0.70	0.60	0.017	0.007	0.006
D0153	SPD-001	144.00	145.00	1.00	1.00	0.039	< 0.005	< 0.005
D0154	SPD-001	145.00	146.00	1.00	1.00	0.018	< 0.005	< 0.005
D0155	SPD-001	146.00	147.00	1.00	1.00	0.017	< 0.005	< 0.005
D0156	SPD-001	147.00	148.50	1.50	0.80	< 0.005	0.005	< 0.005
D0157	SPD-001	148.50	150.00	1.50	1.25	< 0.005	< 0.005	< 0.005
D0158	SPD-001	150.00	151.00	1.00	1.00	0.013	< 0.005	< 0.005
D0159	SPD-001	151.00	151.50	0.50	0.50	< 0.005	< 0.005	< 0.005
D0160	SPD-001	151.50	153.00	1.50	0.70	0.008	< 0.005	< 0.005
D0161	SPD-001	153.00	154.00	1.00	1.00	0.007	< 0.005	< 0.005
D0162	SPD-001	154.00	155.00	1.00	1.00	0.027	< 0.005	< 0.005
D0163	SPD-001	155.00	156.00	1.00	1.00	0.032	0.006	0.023
D0164	SPD-001	156.00	157.00	1.00	1.00	0.007	< 0.005	0.016
D0165	SPD-001	157.00	158.00	1.00	1.00	0.011	< 0.005	< 0.005
D0166	SPD-001	158.00	159.00	1.00	1.00	0.029	0.005	0.017
D0167	SPD-001	159.00	160.00	1.00	0.98	0.015	< 0.005	0.012
D0169	SPD-001	160.00	160.50	0.50	0.50	< 0.005	< 0.005	0.006
D0170	SPD-001	160.50	162.00	1.50	0.75	0.016	< 0.005	0.01
D0171	SPD-001	162.00	163.35	1.35	0.90	0.014	< 0.005	< 0.005
D0172	SPD-001	163.35	164.60	1.25	0.65	0.019	0.006	0.015
D0173	SPD-001	165.00	166.40	1.40	0.60	< 0.005	< 0.005	< 0.005
D0174	SPD-001	166.90	168.00	1.10	0.74	0.013	0.006	0.006
D0175	SPD-001	169.00	170.50	1.50	0.42	0.041	< 0.005	0.008
D0176	SPD-001	171.00	172.00	1.00	1.00	0.105	0.008	0.025
D0177	SPD-001	172.00	172.80	0.80	0.80	0.008	< 0.005	0.008
D0178	SPD-001	172.80	174.00	1.20	1.15	0.106	0.08	0.04
D0179	SPD-001	174.00	174.90	0.90	0.60	0.048	< 0.005	< 0.005
D0180	SPD-001	174.90	176.15	1.25	0.80	0.03	< 0.005	0.011
D0181	SPD-001	176.15	177.00	0.85	0.45	0.249	0.011	0.008
D0182	SPD-001	177.00	178.00	1.00	0.20	0.187	< 0.005	< 0.005
D0183	SPD-001	178.00	179.30	1.30	0.50	0.048	< 0.005	0.005
D0185	SPD-001	180.00	180.85	0.85	0.25	0.139	< 0.005	0.008
D0186	SPD-001	181.55	183.00	1.45	0.25	0.049	< 0.005	< 0.005
D0187	SPD-001	183.20	183.80	0.60	0.50	0.141	0.527	1.1
D0188	SPD-001	183.80	184.50	0.70	0.70	0.551	0.557	0.628
D0189	SPD-001	184.50	185.35	0.85	0.85	0.112	0.095	0.129
D0190	SPD-001	185.35	186.00	0.65	0.55	0.492	0.574	0.711
D0191	SPD-001	186.00	187.50	1.50	0.50	3.38	11.5	10.4
D0192	SPD-001	187.50	188.15	0.65	0.35	1.19	18.15	8.33
D0193	SPD-001	188.15	189.00	0.85	0.45	8.26	4.87	6.17
D0194	SPD-001	189.00	189.80	0.80	0.60	16.9	9.82	11
D0195	SPD-001	189.80	190.50	0.70	0.70	9.65	6.29	7.89
D0196	SPD-001	190.50	191.35	0.85	0.50	5.44	1.18	1.83
D0197	SPD-001	191.35	192.00	0.65	0.30	24.3	5.78	9.26
D0198	SPD-001	192.00	193.00	1.00	1.00	6.42	5.78	3.62
D0199	SPD-001	193.00	194.40	1.40	1.20	10.4	6.27	8.04
D0200	SPD-001	194.40	195.70	1.30	0.90	35.2	12.4	14.8
D0201	SPD-001	195.70	196.50	0.80	0.60	3.63	3.94	3.2
D0202	SPD-001	196.50	197.65	1.15	0.90	1.74	1.33	2.28

Sample ID	Hole ID	From metres	To metres	Interval metres	Recovered metres	Au g/t	Pt g/t	Pd g/t
D0204	SPD-001	197.65	198.95	1.30	0.70	10.6	3.21	5.87
D0205	SPD-001	198.95	200.80	1.85	1.00	7.5	3.09	5.05
D0206	SPD-001	200.80	201.80	1.00	1.00	7.97	4.92	7.8
D0207	SPD-001	201.80	202.35	0.55	0.55	30.6	14.9	22.9
D0208	SPD-001	202.35	203.85	1.50	0.85	8.76	7.47	11
D0209	SPD-001	203.85	205.00	1.15	0.50	0.962	1.15	1.14
D0210	SPD-001	205.00	206.85	1.85	0.35	0.231	1.01	0.907
D0211	SPD-001	206.85	208.40	1.55	0.30	2.56	7.64	5.02
D0212	SPD-001	208.85	209.30	0.45	0.10	0.163	0.035	0.082
D0213	SPD-001	209.65	210.50	0.85	0.45	1.62	2.01	3.07
D0214	SPD-001	211.05	211.40	0.35	0.05	0.231	0.645	0.424
D0215	SPD-001	211.80	213.00	1.20	1.05	0.67	1.63	2.57
D0216	SPD-001	213.00	213.65	0.65	0.55	0.084	0.442	0.823
D0217	SPD-001	214.10	214.80	0.70	0.50	0.033	0.525	0.402
D0219	SPD-001	216.00	216.45	0.45	0.40	0.141	21.3	2.81
D0220	SPD-001	216.75	218.10	1.35	0.75	3.23	14.6	10.5
D0221	SPD-001	218.10	219.70	1.60	0.95	0.88	5.82	3.67
D0222	SPD-001	219.70	220.75	1.05	1.00	0.652	6.28	4.57
D0223	SPD-001	220.75	221.70	0.95	0.95	1.34	5.06	4.7
D0224	SPD-001	221.70	222.10	0.40	0.40	0.946	1.2	1.33
D0225	SPD-001	222.65	223.55	0.90	0.85	1.44	8.16	6.52
D0226	SPD-001	223.55	224.55	1.00	1.00	2.4	7.25	10.5
D0227	SPD-001	224.55	225.50	0.95	0.95	5.32	12.6	25.6
D0228	SPD-001	225.50	226.65	1.15	1.15	1.15	5.37	6.22
D0229	SPD-001	226.65	227.20	0.55	0.55	0.06	0.116	0.255
D0230	SPD-001	227.20	228.00	0.80	0.80	3.56	14.4	12.4
D0231	SPD-001	228.00	229.00	1.00	1.00	4.86	1.03	1.68
D0232	SPD-001	229.00	230.00	1.00	1.00	5.11	0.633	0.924
D0233	SPD-001	230.00	231.00	1.00	1.00	6.09	2.17	3.96
D0234	SPD-001	231.00	232.00	1.00	1.00	4.61	2.09	3.87
D0235	SPD-001	232.00	233.00	1.00	1.00	19.75	2.11	4.75
D0236	SPD-001	233.00	234.00	1.00	1.00	1.93	77.6	74.6
D0238	SPD-001	234.00	235.05	1.05	1.00	7.18	115	110
D0239	SPD-001	235.05	236.40	1.35	0.70	6.38	26.6	41.4
D0240	SPD-001	236.40	237.50	1.10	0.50	2.16	1.47	1.58
D0241	SPD-001	237.50	238.05	0.55	0.20	15.3	0.355	0.591
D0242	SPD-001	238.05	239.80	1.75	0.70	2.64	0.34	2.66
D0243	SPD-001	239.80	241.05	1.25	1.05	5.15	0.372	0.362
D0244	SPD-001	241.05	242.25	1.20	1.20	7.34	0.125	0.169
D0245	SPD-001	242.25	243.15	0.90	0.65	2.835	0.425	0.441
D0246	SPD-001	243.15	244.05	0.90	0.70	3.36	0.054	0.098
D0247	SPD-001	244.05	245.15	1.10	1.05	16.8	0.082	0.179
D0248	SPD-001	245.15	246.10	0.95	0.95	2.52	0.242	0.304
D0249	SPD-001	246.10	247.05	0.95	0.95	0.796	0.005	0.029
D0250	SPD-001	247.05	248.00	0.95	0.95	56.7	2.43	7.82
D0251	SPD-001	248.00	248.65	0.65	0.65	0.799	0.258	0.412
D0252	SPD-001	248.65	250.05	1.40	0.65	2.49	0.062	0.127
D0253	SPD-001	250.05	250.85	0.80	0.45	3.02	2.14	2.7
D0254	SPD-001	250.85	252.25	1.40	1.15	1.65	1.02	1.35
D0255	SPD-001	252.25	253.05	0.80	0.80	0.784	1.01	1.6
D0256	SPD-001	253.05	254.55	1.50	1.10	0.158	0.075	0.132
D0258	SPD-001	254.75	256.05	1.30	0.55	0.855	0.271	0.302
D0259	SPD-001	256.05	256.85	0.80	0.75	3.91	4.33	5.75
D0260	SPD-001	256.85	257.82	0.97	0.97	0.325	0.021	0.048
D0261	SPD-001	257.82	259.05	1.23	0.72	8.28	19.8	20.9
D0262	SPD-001	259.05	259.45	0.40	0.15	0.735	0.401	0.614
D0263	SPD-001	259.55	260.65	1.10	0.70	14.2	4.6	8.01

Sample ID	Hole ID	From metres	To metres	Interval metres	Recovered metres	Au g/t	Pt g/t	Pd g/t
D0264	SPD-001	260.65	261.50	0.85	0.85	43.4	13.1	23
D0265	SPD-001	261.50	262.75	1.25	0.25	24.75	2.37	3.95
D0266	SPD-001	262.75	263.30	0.55	0.45	4.57	0.933	2.51
D0267	SPD-001	263.30	264.15	0.85	0.70	0.393	0.014	0.069
D0268	SPD-001	264.15	265.05	0.90	0.80	0.555	0.028	0.05
D0269	SPD-001	265.05	265.80	0.75	0.75	1.16	0.034	0.049
D0270	SPD-001	265.80	266.55	0.75	0.75	2.13	0.553	0.603
D0271	SPD-001	266.55	268.05	1.50	1.35	0.982	0.035	0.045
D0272	SPD-001	268.05	268.90	0.85	0.85	0.583	0.016	0.02
D0273	SPD-001	268.90	270.00	1.10	1.00	0.468	0.025	0.026
D0274	SPD-001	270.00	271.05	1.05	0.60	0.69	0.715	1.01
D0275	SPD-001	271.05	272.65	1.60	0.85	0.574	0.014	0.028
D0276	SPD-001	272.65	274.05	1.40	0.50	0.141	0.181	0.261
D0278	SPD-001	274.30	274.80	0.50	0.40	0.634	0.882	0.795
D0279	SPD-001	275.15	276.35	1.20	0.80	0.555	0.343	0.488
D0280	SPD-001	278.35	279.25	0.90	0.70	< 0.005	0.008	< 0.005
D0281	SPD-001	279.25	280.25	1.00	1.00	0.006	0.014	< 0.005
D0282	SPD-001	280.25	281.00	0.75	0.75	0.264	0.088	0.118
D0283	SPD-001	281.00	282.00	1.00	1.00	< 0.005	< 0.005	0.009
D0284	SPD-001	282.00	283.00	1.00	1.00	0.073	< 0.005	0.012
D0285	SPD-001	283.00	284.00	1.00	1.00	< 0.005	< 0.005	< 0.005
D0286	SPD-001	284.00	285.00	1.00	1.00	< 0.005	< 0.005	< 0.005
D0287	SPD-001	285.00	286.00	1.00	1.00	0.008	< 0.005	< 0.005
D0288	SPD-001	286.00	287.00	1.00	1.00	< 0.005	< 0.005	< 0.005
D0289	SPD-001	287.00	288.00	1.00	1.00	< 0.005	< 0.005	0.006
D0290	SPD-001	288.00	289.00	1.00	1.00	0.007	0.005	< 0.005
D0291	SPD-001	289.00	290.30	1.30	1.30	< 0.005	< 0.005	< 0.005
D0292	SPD-001	290.30	291.30	1.00	1.00	0.323	0.014	0.027
D0293	SPD-001	291.30	292.00	0.70	0.70	0.107	0.009	0.017
D0295	SPD-001	292.00	293.00	1.00	1.00	0.065	0.03	0.03
D0296	SPD-001	293.00	294.00	1.00	1.00	0.05	0.013	0.025
D0297	SPD-001	294.00	295.00	1.00	1.00	0.089	0.024	0.026
D0298	SPD-001	295.00	296.00	1.00	1.00	0.009	0.026	0.041
D0299	SPD-001	296.00	297.00	1.00	1.00	0.064	0.02	0.033
D0300	SPD-001	297.00	298.00	1.00	1.00	0.007	0.008	0.007
D0301	SPD-001	298.00	299.00	1.00	1.00	0.01	< 0.005	< 0.005
D0302	SPD-001	299.00	300.00	1.00	1.00	0.006	< 0.005	< 0.005
D0303	SPD-001	300.00	301.00	1.00	1.00	0.006	0.014	0.007
D0304	SPD-001	301.00	302.00	1.00	1.00	0.013	< 0.005	< 0.005
<b>D0305</b>	<b>SPD-001</b>	<b>302.00</b>	<b>303.00</b>	<b>1.00</b>	<b>1.00</b>	<b>0.152</b>	<b>1.66</b>	<b>0.918</b>
D0306	SPD-001	303.00	304.00	1.00	1.00	0.012	0.006	0.006
D0307	SPD-001	304.00	305.00	1.00	1.00	0.017	0.024	0.026
D0308	SPD-001	305.00	306.00	1.00	1.00	0.027	< 0.005	0.012
D0309	SPD-001	306.00	307.00	1.00	1.00	0.009	0.015	0.008
D0310	SPD-001	307.00	308.00	1.00	1.00	0.006	< 0.005	< 0.005
D0311	SPD-001	308.00	309.00	1.00	1.00	< 0.005	< 0.005	< 0.005
D0312	SPD-001	309.00	310.00	1.00	1.00	0.006	< 0.005	< 0.005
D0313	SPD-001	310.00	311.05	1.05	1.05	< 0.005	0.008	< 0.005

**End of Hole**